First of four pages

POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS
Total 2001 Population 15,360	 Community Options and	 Per
Population per square mile 17 County ranking in state (1-72) 64	MA Waiver Programs	10,000 Staffing - FTE Number Population
Age Female Male Total	Clients Costs COP 65 \$198,377 MA Waiver *	Administrative 2 1.3 Professional staff 9 5.7
0-14	CIP1A 6 \$304,185 CIP1B 43 \$543,215	Total staff 17 11 Administrative 2 1.3 Professional staff 9 5.7 Technical/Paraprof. 2 1.0 Support staff 4 2.7
20-24	CIP1A 6 \$304,185 CIP1B 43 \$543,215 CIP2 29 \$352,589 COP-W 73 \$354,542 CSLA . \$0	 Funding
35-39	CSLA	Local Taxes \$138,461 \$8.98
45-54	\$114 014 of the above waiver costs	LICENSED ESTABLISHMENTS
55-64	were paid as local match/overmatch using COP funds. This amount is	Type Capacity Facilities Bed & Breakfast 5 1 Camps 433 23 Hotels, Motels 406 27 Tourist Rooming 14 5
Total 7,750 7,630 15,360	* Waiver costs reported here	Hotels, Motels 406 27 Tourist Rooming 14 5
Age Female Male Total 0-17	include federal funding. Clients Costs	Restaurants 38
45-64	Eligible and Waiting 56 n/a	Venumg 0
		 WIC PARTICIPANTS
Poverty Estimates for 2000 Estimate (C.I.+/-)		Numbor
All ages	Note: Eligible and waiting clients will be phased into the COP and MA	Pregnant/Postpartum 214 Infants 212
Ages 0-17 587 52 15.4% (9%)	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.	Children, age 1-4 337 Total 763
EMPLOYMENT	1	CANCER INCIDENCE
by unemployment compensation \$22,661 Note: based on place of work	Home Health Agencies 2 Patients 222 Patients per 10,000 pop. 144	1999 Primary Site Number
Annual Labor Force Estimates	Nursing Homes 2 Licensed beds 161	Breast 19 Cervical 1 Colorectal 12
Civilian Labor Force 7,113 Number employed 6,593	Occupancy rate 88.5% Residents on Dec.31 140	Trachea, Bronchus, Lung 5 Prostate 11
Number unemployed 520 Unemployment rate 7.3%	Nursing Homes 2 Licensed beds 161 Occupancy rate 88.5% Residents on Dec.31 140 Residents age 65 or older per 1,000 population 48	Other sites 37 Total 85
		·

			NATA	LITY				
TOTAL LIVE BIRTHS		185	Birth Order		Percent	Marital Status		
			First	65	35	of Mother	Births	Percent
Crude Live Birth Rate	j	12.0	Second	61	33	Married	134	72
General Fertility Rat	:e	66.5	Third	28	15	Not married	51	28
•			Second Third Fourth or higher Unknown	31	17	Unknown	Θ	Θ
Live births with repo congenital anomalies	orted		Unknown	0	0			
congenital anomalies		7 3.8%		_	-	Education		
			First Prenatal			of Mother	Births	Percent
Delivery Type	Births	Percent		Births	Percent	Elementary or les		3
Vaginal after	211 6113	i ci cciic	1st trimester	144	78	Some high school		17
nrevious cesarean	7	4	2nd trimester	37	20	High school	76	41
previous cesarean Forceps	1	1	3rd trimester	3,	2	Some college	39	21
Other vaginal	133	72	No visits	9	Ö	College graduate		18
Primary cesarean	133 26	1/	Visit 1st trimester 2nd trimester 3rd trimester No visits Unknown	1	1	College graduate Unknown	9	0
Repeat cesarean	10	16	UIIKIIOWII	т	7	UIIKIIOWII	U	U
Other or unknown	18	10 0	Number of Prenatal			Smoking Status		
Other of unknown	0	U			Porcont		Dirthe	Porcont
Ricthwoight	Dirth.	Percent	Care visits No visits	Births 0	Percent 0	of Mother Smoker	Births 44	Percent 24
Birthweight	DITUIS	rercent						
<1,500 gm	1	0.5	1-4	11	6	Nonsmoker	141	76
1,500-2,499 gm	177	3.8	5-9	70	38	Unknown	0	Θ
2,500+ gm	1//	95./	10-12	80	43			
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	Θ	Θ	13+	23	12			
			Unknown	1	1			
			Low Birthweight (under 2,500 gm)			ter of First Prenatal	 . Visit	
			(under 2,500 gm)	1st Tr	imester	2nd Trimester	Other/	Unknown
Race of Mother	Births F	Percent	Births Percent 7 3.9 *	Births	Percent	Births Percent	Births	Percent
White	179	97	7 3.9	139	78	36 20	4	2
Black	1	1	* .	*	•	* .	*	
Other	5	3		4	80	1 20		
Unknown	Ō	Ö		-			·	
	_							
			Lou Dirthugiaht		Trimoct			
			Lou Dirthugiaht		Trimoct	or of First Dropotol	. Visit	Unknoun
Age of Mother	F6	ertility	Low Birthweight (under 2,500 gm)	1st Tr	Trimest imester	ter of First Prenatal 2nd Trimester	. Visit Other/	Unknown
Age of Mother	Births	Rate	Lou Dirthugiaht	1st Tr	Trimest imester	or of First Dropotol	. Visit Other/	Unknown Percent
<15	Births 0	Rate	Low Birthweight (under 2,500 gm)	1st Tr Births	Trimest imester Percent	ter of First Prenatal 2nd Trimester Births Percent 	. Visit Other/	
<15 15-17	Births 0 9	Rate 24	Low Birthweight (under 2,500 gm)	1st Tr Births 7	Trimest imester Percent 78	ter of First Prenatal 2nd Trimester Births Percent 2 22	. Visit Other/	
<15 15-17 18-19	Births 0 9 12	Rate 24 68	Low Birthweight (under 2,500 gm) Births Percent 	1st Tr Births 7 9	Trimest imester Percent 78 75	ter of First Prenatal 2nd Trimester Births Percent 2 22 3 25	Visit Other/ Births .	Percent
<15 15-17 18-19 20-24	Births 0 9 12 55	Rate 24 68 153	Low Birthweight (under 2,500 gm) Births Percent 5 9.1	1st Tr Births 7 9 41	Trimest imester Percent 78 75 75	ter of First Prenatal 2nd Trimester Births Percent 2 22 3 25 13 24	Visit Other/ Births 1	Percent 2
<15 15-17 18-19 20-24 25-29	Births 0 9 12 55 54	Rate 24 68 153 162	Low Birthweight (under 2,500 gm) Births Percent 5 9.1 1 1.9	1st Tr Births 7 9 41 44	Trimest imester Percent 78 75 75 81	ter of First Prenatal 2nd Trimester Births Percent 2 22 3 25 13 24 8 15	Visit Other/ Births 1	Percent
<15 15-17 18-19 20-24 25-29 30-34	Births 0 9 12 55 54 36	Rate 24 68 153 162 81	Low Birthweight (under 2,500 gm) Births Percent 5 9.1 1 1.9 1 2.8	1st Tr Births	Trimest imester Percent 78 75 75 81 86	ter of First Prenatal 2nd Trimester Births Percent 2 22 3 25 13 24 8 15 5 14	Visit Other/ Births 1	Percent 2
<15 15-17 18-19 20-24 25-29 30-34 35-39	Births 0 9 12 55 54 36 15	Rate 24 68 153 162 81 28	Low Birthweight (under 2,500 gm) Births Percent 5 9.1 1 1.9	1st Tr Births	Trimest imester Percent 78 75 75 81	ter of First Prenatal 2nd Trimester Births Percent 2 22 3 25 13 24 8 15	Visit Other/ Births 1	Percent 2
<15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births 0 9 12 55 54 36 15 4	Rate 24 68 153 162 81 28 7	Low Birthweight (under 2,500 gm) Births Percent 5 9.1 1 1.9 1 2.8	1st Tr Births	Trimest imester Percent 78 75 75 81 86	ter of First Prenatal 2nd Trimester Births Percent 2 22 3 25 13 24 8 15 5 14	Visit Other/ Births 1	Percent 2
<15 15-17 18-19 20-24 25-29 30-34 35-39	Births 0 9 12 55 54 36 15	Rate 24 68 153 162 81 28	Low Birthweight (under 2,500 gm) Births Percent 5 9.1 1 1.9 1 2.8	1st Tr Births	Trimest imester Percent 78 75 75 81 86	ter of First Prenatal 2nd Trimester Births Percent 2 22 3 25 13 24 8 15 5 14	Visit Other/ Births 1	Percent 2

MORBIDITY	
REPORTED* CASES OF SELECTED DISEASES Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number TOTAL DEATHS Selected Crude Death Rate 1,376 Underlying Cause Deaths Rate Giardiasis Heart Disease (total) 59 38 Hepatitis Type A 0 Age Deaths Rate Cancer (total) 40 26	3 ј
fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number TOTAL DEATHS 212 Selected Campylobacter Enteritis <5 Crude Death Rate 1,376 Underlying Cause Deaths Rat Giardiasis 8 Heart Disease (total) 59 38 Hepatitis Type A 0 Ischemic heart disease 41 26 Hepatitis Type B** 0 Age Deaths Rate Cancer (total) 40 26	3 ј
Disease Number TOTAL DEATHS 212 Selected Campylobacter Enteritis <5 Crude Death Rate 1,376 Underlying Cause Deaths Rate Giardiasis 8 Heart Disease (total) 59 38 Hepatitis Type A 0 Ischemic heart disease 41 26 Hepatitis Type B** 0 Age Deaths Rate Cancer (total) 40 26	3 ј
Campylobacter Enteritis <5 Crude Death Rate 1,376 Underlying Cause Deaths Rat Giardiasis Heart Disease (total) 59 38 Hepatitis Type A O Ischemic heart disease 41 26 Hepatitis Type B** O Age Deaths Rate Cancer (total) 40 26	3 ј
Campylobacter Enteritis <5 Crude Death Rate 1,376 Underlying Cause Deaths Rat Giardiasis 8 Heart Disease (total) 59 38 Hepatitis Type A 0 Ischemic heart disease 41 26 Hepatitis Type B** 0 Age Deaths Rate Cancer (total) 40 26	3 ј
Giardiasis 8 Heart Disease (total) 59 38 Hepatitis Type A 0 Ischemic heart disease 41 26 Hepatitis Type B** 0 Age Deaths Rate Cancer (total) 40 26	3 ј
Giardiasis 8 Heart Disease (total) 59 38 Hepatitis Type A 0 Ischemic heart disease 41 26 Hepatitis Type B** 0 Age Deaths Rate Cancer (total) 40 26	
Hepatitis Type A	ςi
Hepatitis Type B** 0 Age Deaths Rate Cancer (total) 40 26	<i>-</i>
I Honotitic NAND/C) į
Hepatitis NANB/C	. į
l legionnaire's 0 5-14 1 Colorectal 3	. [
Lyme <5 15-19 2 . Female Breast 1	. * i
neastes	.
Meningitis, Aseptic	.
Meningitis, Bacterial 0 55-64 15 . Pneumonia & Influenza 6	.
Mumps	.
Pertussis	.
Salmonellosis Salmonellosi Salmonellosis Salmonellosis Salmonellosis Salmonellosi Salmonel	.
Shigellosis 0 Infectious & Parasitic 2	. [
Tuberculosis 0 Suicide 3	. !
Infant	. !
* 2001 provisional data Mortality Deaths Rate * Rate for female breast cancer base	ı i
** Includes all positive HBsAg Total Infant 2 . on female population.	ļ
test results	!
* 2001 provisional data	-
Sexually Transmitted Disease	-
	ł
Chlamydia Trachomatis	. !
Gonorrhea <5 Black Both Mentioned .	. !
I Symbilis A I Other I	, !
Unknown	i
	i
Birthweight Note: These data are based on locat	ion İ
	i
j 1,500-2,499 gm 1 . j	i
Children in Grades K-12 by 2,500+ gm Type of Motor Persons Perso Compliance Level Unknown Vehicle Crash Injured Kill	ns į
Compliance Level Unknown Vehicle Crash Injured Kill	ed į
Compliant 2,843 Total Crashes 150	8
Children in Grades K-12 by 2,500+ gm Type of Motor Persons Persons Compliance Level Unknown Vehicle Crash Injured Kill Compliant 2,843 Total Crashes 150 Non-compliant 14 Alcohol-Related 16 Percent Compliant 99.5 Perinatal With Citation:	1
Percent Compliant 99.5 Perinatal with Citation:	- 1
Mortality Deaths Rate For OWI 59	0
Total Perinatal 4 . For Speeding 36 Neonatal 2 . Motorcyclist 4	0
Neonatal 2 . Motorcyclist 4	0 j
	0
j Pedestrian 2	0

				HOSPIT	ALIZATIONS					
		Average		Charge	1		Per	Average		Charge
DISEASE /	1,000	Stay	Average		DISEASE /		1,000	Stay	Average	
AGE GROUP Number		(Days)	Charge	Capita	AGE GROUP	Number	Pop	(Days)	Charge	
I AGE GROOT NUMBER	ТОР	(Days)	Charge	Capita	I AGE GROOT	Number	тор	(Days)	Charge	Сартса
Injury Dolated, All					Alcohol Dolotos	1				
Injury-Related: All	11 4	4 5	¢10 015	¢114	Alcohol-Related			4 6	¢2 C40	¢10
Total 175		4.5	\$10,015	\$114	Total	82	5.3	4.6	\$3,640	\$19
j <18 13					j 18-44	42	8.4	4.8	\$3,585	\$30
18-44 46		3.8	\$9,982	\$91	45-64	24	6.5	4.5	\$3,476	\$23
45-64 36			\$8,862	\$72	Pneumonia and I	influenza				
j 65+ 86	30.3	5.3	\$11,078	\$336	j Total	46	3.0	4.2	\$6,271	\$19
İ Injury: Hip Fracture					i <18	3	•			
i Total 17					i 45-64	4				
65+ 16		•	·	•	65+	34	12.0	4.7	\$6,720	\$81
Injury: Poisonings	•	•	•	•	Cerebrovascular		12.0	1.,	\$0,720	401
Total 12					Total	36	2.3	4.8	\$9,726	\$23
18-44		•	•	•	1 45-64	5	2.3	4.0	\$3,720	\$ Z J
10-44	•	•	•	•			10.0	۲.۷	¢0 703	¢103
!					65+	30	10.6	5.0	\$9,782	\$103
Psychiatric					Chronic Obstruc		onary L			
j Total 98	6.4	9.9	\$6,964	\$44	Total	61	4.0	3.6	\$4,897	\$19
j <18 28	7.3	15.9	\$10,913	\$80	<18	7	•			•
j 18-44 38		8.8	\$5,561	\$42	j 18-44	1	•			•
j 45-64 15					i 45-64	7				•
i 65+ 17					i 65+	46	16.2	3.9	\$5,293	\$86
]	•	•	·	•	Drug-Related	. •			40,200	400
Coronary Heart Disease					Total	13				
Total 139		12	\$18,998	\$171	18-44	11	•	•	•	•
1 45-64 42			\$17,292	\$196	10-44	11	•	•	•	•
1 65+ 88	31.0		\$17,232	\$644		70+ions				
05+ 00	31.0	5.3	\$20,773	\$644	Total Hospitali	2 1 1 1 1	127 2	4 1	¢0 314	¢1 141
Maliana Name		477			Total		137.2	4.1	\$8,314	\$1,141
Malignant Neoplasms (C					<18	308	80.8	2.9	\$3,320	\$268
j Total 90		5.8	\$15,733	\$92	18-44	479	95.3	3.1	\$5,590	\$532
j 18-44 7					j 45-64	367	99.2			\$1,050
45-64 25			\$17,699	\$120	j 65+	960	338.3	4.9	\$10,408	\$3,521
j 65+ 58		6.0	\$16,030	\$328						
Neoplasms: Female Br	east (ra	ates for	female po	pulation)	j PR		HOSPIT	TALIZATIO	NS*	
i Total 9					Total	347	22.5	3.9	\$5,597	\$126
Neoplasms: Colo-rect	al .	-	·	-	i <18	28	7.3	1.6	\$2,040	\$15
Total 15					18-44	26	5.2	3.0	\$4,528	\$23
1 65+ 13	•	•	•	•	1 45-64	54	14.6	4.1	\$6,011	\$88
Neoplasms: Lung	•	•	•	•	1 65+		84.2	4.1	\$6,011	\$508
Total 16	•	•	•	•	* Hospitalizations					
					ambulatory care ca	ın reauce	ine lik	kerinood.	ot nospi	tatization.
Diabetes					The definition of				nons in 2	2001
j Total 16					is consistent wit	:h the 199	7 defir	nition.		
j 65+ 6			•		Please refer to th	ie note at	the bo	ottom of	this page	e in the
1					i 1997 report for a	ın explana	tion of	the cha	inge made	between
İ					i 1996 and 1997.	•			=	